

Regional Infrastructure Pty Ltd  
 Tamworth Regional Livestock Exchange (TRLX)  
 7 Phoenix St Tamworth NSW 2340  
 EPL 20133  
 Livestock intensive activities

EPL 1 (Wetland)

Sampling Frequency			Each overflow event	Each overflow event	Each overflow event	Each overflow event	Each overflow event	Each overflow event	Each overflow event
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Suspended Solids (mg/L)	Total Nitrogen (mg/L)	Total Phosphorus (mg/L)	Chemical Oxygen Demand (mg/L)	Oil and Grease (mg/L)
<b>EPL 90 Percentile Concentration Limit</b>			<b>6.5-8.5</b>	<b>300000</b>	<b>50</b>	<b>2</b>	<b>0.5</b>		
22-Jun-16	8-Jul-16		6.88	346	77	4.7	1.31	94	< 5
25-Aug-16	28-Sep-16		7.53	528	44	14.2	3.4	150	< 5
6-Sep-16	28-Sep-16		7.74	522	40	0.8	0.98	122	< 5
19-Sep-16	28-Sep-16		7.58	490	84	12.5	3.49	123	< 5

EPL 2 (Creek Upstream)

Sampling Frequency			Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Suspended Solids (mg/L)	Total Nitrogen (mg/L)	Total Phosphorus (mg/L)	Chemical Oxygen Demand (mg/L)	Oil and Grease (mg/L)
15-Jul-15	3-Sep-15		7.15	109	52	3.3	0.57	56	12
22-Jun-16	8-Jul-16		7.09	77	14	0.9	0.21	42	< 5
25-Aug-16	28-Sep-16		7.49	67	20	1.4	0.24	46	< 5
6-Sep-16	28-Sep-16		7.66	103	5	1	0.11	33	< 5
19-Sep-16	28-Sep-16		7.73	139	< 5	0.9	0.08	43	< 5

EPL 3 (Creek Downstream)

Sampling Frequency			Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1	Each overflow event from EPL 1
Date Sampled	Date Obtained	Date Published	pH (pH units)	Electrical Conductivity (µS/cm)	Total Suspended Solids (mg/L)	Total Nitrogen (mg/L)	Total Phosphorus (mg/L)	Chemical Oxygen Demand (mg/L)	Oil and Grease (mg/L)
15-Jul-15	3-Sep-15		7.23	141	6	1.5	0.22	27	25
22-Jun-16	8-Jul-16		7.23	239	< 5	1.5	0.47	85	< 5
25-Aug-16	28-Sep-16		7.67	188	15	3.9	0.9	71	< 5
6-Sep-16	28-Sep-16		7.94	425	11	3.5	1.52	96	-
19-Sep-16	28-Sep-16		7.79	251	< 5	2.5	0.85	68	< 5

EPL 4 (Groundwater BH1)

Sampling Frequency			Quarterly	Quarterly	Quarterly	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual
Date Sampled	Date Obtained	Date Published	Standing Water Level (m AHD)	pH (pH units)	Electrical Conductivity (µS/cm)	Total Dissolved Solids (mg/L)	Ammonia (mgN/L)	Nitrate (mgN/L)	Total Nitrogen (mg/L)	Total Phosphorus (mg/L)	Reactive Phosphorus (mgP/L)
24-Apr-13 (Baseline prior to EPL)	6-Sep-13		378.47	7.74	1020	774	0.07	6.94	8.8	0.25	<0.01
9-Jul-13	6-Sep-13		378.14	7.40	970	649	<0.01	6.18	8.5	0.18	<0.01
9-Oct-13	1-Nov-13		377.48	7.78	1130	608	0.04	0.26	1.1	0.08	<0.01
30-Jan-14	25-Feb-14		376.89	7.68	1170	628	0.07	0.45	0.8	0.05	<0.01
10-Apr-14	2-Jun-14		376.80	7.70	1190	654	0.03	1.37	1.8	0.02	<0.01
17-Jul-14	29-Aug-14		376.74	7.45	1230	664	0.01	0.12	0.5	0.03	<0.01
28-Oct-14	19-Nov-14		376.55	7.78	1340	734	0.01	1.17	1.5	0.01	<0.01
29-Jan-15	25-Feb-15		377.10	7.44	1390	761	0.03	0.6	1	0.03	<0.01
20-Apr-15	19-May-15		378.18	7.44	1460	742	0.03	1.15	1.6	0.02	0.03
15-Jul-15	3-Sep-15		377.51	7.45	1550	876	0.03	0.53	1.0	0.02	<0.01
15-Oct-15	10-Nov-15		377.30	7.99	1600	886	0.05	0.34	0.8	0.01	<0.01
25-Jan-06	15-Feb-16		377.94	7.64	1770	958	0.04	0.27	0.8	0.01	<0.01
19-Apr-16	16-May-16		377.30	7.68	1600	905	0.06	0.54	0.8	<0.01	<0.01
22-Jun-16	8-Jul-16		376.87	7.69	1750	994	0.03	0.34	0.6	< 0.01	0.01

EPL 5 (Groundwater BH2)

Sampling Frequency			Quarterly	Quarterly	Quarterly	Biannual	Biannual	Biannual	Biannual	Biannual	Biannual
Date Sampled	Date Obtained	Date Published	Standing Water Level (m AHD)	pH (pH units)	Electrical Conductivity (µS/cm)	Total Dissolved Solids (mg/L)	Ammonia (mgN/L)	Nitrate (mgN/L)	Total Nitrogen (mg/L)	Total Phosphorus (mg/L)	Reactive Phosphorus (mgP/L)
24-Apr-13 (Baseline prior to EPL)	6-Sep-13		378.78	7.65	1730	1160	0.12	2.09	3.4	0.37	0.06
9-Jul-13	6-Sep-13		378.68	7.20	1780	1040	<0.01	7.81	10.0	0.05	0.03
9-Oct-13	1-Nov-13		378.00	7.67	1810	969	0.03	11.2	13.0	0.05	0.02
30-Jan-14	25-Feb-14		377.50	7.55	1970	1070	<0.01	10.6	11.0	0.05	0.02